



Cooker Hoods

Culitec cooker hoods are defined by their modern designs coupled with their high performance. Made with high grade materials to ensure durability, these hoods are also equipped with powerful motors that can extract all steam and odours, leaving your kitchen smelling fresh as always. Culitec cooker hoods can be paired wirelessly with either the electric or gas hobs to enjoy the auto link function



Cooker Hoods



EXA90MB-L 🖘

90cm 4-speed chimney extractor in matt black finish with Blue LED & auto hob linkage

- Aluminium alloy chassis
- Air flow up to 1,300m3/hr
- Noise level<59db
- 3 speed electronic switch control with power boost
- Stainless steel aluminium grease filter
- 1x400W motor
- 1x5w LED bar
- Dual mode (Ducted and Recirculating mode)
- Charcoal filter
- Auto linkage

RRP RM2,888



EXB90SS-L-1 ©

90cm 4-speed touch control chimney extractor in stainless steel finish with auto hob linkage

- SUS430 stainless steel chassis
- Air flow up to 1,800m3/hr
- Noise level<59db
- 4 speed touch control
- Stainless steel baffle filter
- 1x400W motor
- 1x7w LED bar

- Dual mode (Ducted and Recirculating mode)
- Charcoal filter
- Auto linkage

RRP RM2,988



EXC90SS-L €

90cm 4-speed touch control chimney extractor in stainless steel finish with auto hob linkage

- SUS430 stainless steel chassis
- Air flow up to 1,300m3/hr
- Noise level<59db
- 4 speed touch control
- Stainless steel baffle filter
- 1x400W motor
- 2x5w LED downlight
- Dual mode (Ducted and Recirculating mode)
- Charcoal filter
- Auto linkage


RRP RM2,788



*Compliments with:

Ducting Flexible Hose + End Cap





IH72-L

Built-in Induction Hob - 75cm

75cm Dual zone built-in induction hob in Schott Ceran glass with auto linkage

- SCHOTT CERAN glass
- Sensor touch control
- Power management 2.85kw, 15A
- Left induction zone (1 X 2.5kw)
- Right induction zone (1 X 1.5kw)
- Up to 9 Level power settings for each zone
- Boost function
- Auto linkage
- Automatic pan recognition system
- Control lock
- Child safety lock
- Time: 1 99 Minutes

RRP RM3,288



Gas Hob



GH82SS-L 🦻

Built-in GAS HOB - 75cm

75cm 2 burner stainless steel gas hob with auto linkage

- SUS304 stainless steel top
- Front control knobs
- 2 x Brass burner (2 x 5.0kw)
- Flame failure safety devices
- Battery ignition with package battery
- Auto linkage
- 2 Enameled trivets
- Black enameled plate
- LPG fitted

RRP RM1,488



GH82SG-L 🦻

Built-in GAS HOB - 76cm

76cm 2 burner safety glass gas hob with auto linkage

- Durable tempered glass top
- Front control knobs
- 2 x Brass burner (2 x 5.0kW)
- Flame failure safety devices
- Battery ignition with package battery
- Auto linkage
- 2 Enameled trivets
- Black enameled plate
- LPG fitted



GH93SS-L



Built-in GAS HOB - 86cm

86cm 3 burner stainless steel gas hob with auto linkage

- SUS304 stainless steel top
- Front control knobs
- 2 x Brass burner (2 x 5.0kw)
- 1 x Semi-rapid brass burner (1 x 2.0kw)
- Flame failure safety devices
- Battery ignition with package battery
- Auto linkage
- 3 Enameled trivets
- Black enameled plate
- LPG fitted

RRP RM1,688



GH93SG-L 🦻



Built-in GAS HOB - 86cm

86cm 3 burner safety glass gas hob with auto linkage

- Durable tempered glass top
- Front control knobs
- 2 x Brass burner (2 x 5.0kw)
- 1 x Semi-rapid brass burner (1 x 2.0kw)
- Flame failure safety devices
- Battery ignition with package battery
- Auto linkage
- 3 Enameled trivets
- Black enameled plate
- LPG fitted





OMP709B

70 litre electric oven with mechanical control with 9 functions in black glass finish

Key featuresfl

70L oven capacity
96mm height control panel Mechanical control
A class energy rating
3 layers full glass door
Non-retractable knob
120min mechanical timer
Forced cooling system
Removable door plate
Flat cavity with metal side rack
Temperature setting: 50c-250c

9 functions:fl

Defrost
Fan-Farced
Bottom Heat
Radiant Grilling
Double Grilling With Fan
Conventional
Conventional With Fan
ECO

Specificationsfl

Voltage 220-240V Max power 3000W One universal tray, one rack Product size: 595(W)*575(D)*595(H)



ODE708B

70 litre electric oven with digital display control with 8 functions in black glass finish

Key featuresfl

70L oven capacity
96mm height control panel Digital control
A class energy rating
3 layers full glass door
Retractable knob
Electronic child safety lock
9 hours digital timer
Forced cooling system
Removable door plate
Flat cavity with metal side rack
Temperature setting: 50c -250c


8 functions:


Defrost
Bottom Heat
Radiant Grilling
Double Grilling With Fan
Conventional
Conventional With Fan
ECO


Specificationsfl

Voltage 220-240V Max power 3000W One universal tray, one rack Product size: 595(W)*575(D)*595(H)


Cooker Hoods









Electric Hob




Gas Hob





Ovens







Culitec - culinary technology. The taste of our mother's or grandmother's cooking stays with us ever since our childhood and we often seek to replicate such flavours. With advancing technology, appliances become savvier and more intelligent while retaining the same tried and tested traditional culinary methods of our parent's times. Culitec aims to bring such cooking appliances to you. Appliances where you can cook the same delicious dishes you enjoyed since young without the hassle and bustle, making cooking a breeze and no more a chore. You too can continue passing on the wonders of Grandma's secret recipes.....







www.kitch.com.my



Operation Office 8, Jalan Industri PBP 5, Taman Perindustrian Pusat Bandar Puchong, 47100 Puchong, Selangor Darul Ehsan, Malaysia. Tel: +603 5882 5533 Fax: +603 5882 6267

Showroom

11, Jalan Dato Abu Bakar (Jalan 16/1), Section 16, 46350 Petaling Jaya, Selangor Darul Ehsan, Malaysia. Tel: +603 7954 2522 Fax: +603 7954 2521

85, Jalan Klang Lama, Batu 3, 58000 Kuala Lumpur, Malaysia. Tel: +603 7982 8233 Fax : +603 7981 4102

15, Jalan Pertama 6, Pusat Perdagangan Danga Utama, 81300 Johor Bahru, Johore, Malaysia Tel: +607-557 7988 Fax: +607-557 7488

170, Jalan Kelawai,10250 Penang, Malaysia Tel: +604-226 3232 Fax: +604-226 3636

*All prices, pictures, colours, models, diagrams & specifications are for reference purpose only and subject to change without prior notice.